ANALYTICA CHIMICA ACTA, VOL. 278 (1993)

AUTHOR INDEX

Acree, Jr., W.E., see Tucker, S.A. 269
Adams, F.C., see Szpunar-Łobińska, J. 99
Akiyama, S., see Kuroda, N. 275
Amszi, V.L., see Tucker, S.A. 269
An, D.-k., see Li, W. 205
Andreev, V.P.

— and Khidekel, M.I.

Mathematical model of flow-injection analysis. First-order chemical reaction in a straight tube 307

Anticó, E.

-, Hidalgo, M., Masana, A., Salvadó, V., Havel, J. and Valiente, M.

Role of SCN⁻ in the liquid-liquid extraction of Pd(II) by Kelex 100 in Toluene from aqueous chloride solutions. The equilibrium approach 91

Axelsson, B., see Jagner, D. 237

Baasner, J., see Guo, T. 189 Baffi, F.

-, Ianni, M.C., Magi, E. and Ravera, M.

Comparison of the performance of RP C₁₈ on silica and polymeric supports for the liquid chromatographic separation of metal-amino acid complexes with postcolumn derivatization 83

Bakker, E.

—, Lerchi, M., Rosatzin, T., Rusterholz, B. and Simon, W. Synthesis and characterization of neutral hydrogen ionselective chromoionophores for use in bulk optodes 211

Barek, J., see Fogg, A.G. 41 Bates, H.C., see Tucker, S.A. 269

Bieniasz, L.K.

- and Britz, D.

Electrochemical kinetic simulations of mixed diffusion/ homogeneous reaction problems by the Saul'yev finite difference algorithms 59

Bowdridge, M.R., see Wentzell, P.D. 293 Britz, D., see Bieniasz, L.K. 59

Ceccon, L.

—, Turello, A., Mocellin, G. and Colugnati, L. Liquid desorption of organic solvents from industrial sludges 115

Ceulemans, M., see Szpunar-Łobińska, J. 99 Chen, J., see Li, W. 205

Chi, Q.

- and Dong, S.

Flow-injection analysis of glucose at an amperometric glucose sensor based on electrochemical codeposition of palladium and glucose oxidase on a glassy carbon electrode 17 Clechet, P., see Shul'ga, A.A. 233 Colugnati, L., see Ceccon, L. 115 Comtat, M., see Montagné, M. 25 Corne, S.A.

—, Fisher, J., Johnson, A.P. and Newell, W.R. Cross-peak classification in two-dimensional nuclear magnetic resonance spectra using a two-layer neural network 140

Cronan, C.S., see Taylor, T.A. 259

Dempsey, E., see Rohde, E. 5 Di Raddo, P., see Tucker, S.A. 269 Dong, S., see Chi, Q. 17 Durliat, H., see Montagné, M. 25 Dyker, G., see Tucker, S.A. 269

El'skaya, A.V., see Shul'ga, A.A. 233 Emons, H., see Rohde, E. 5 Ertas, F.N., see Fogg, A.G. 41

Faridnia, M.H.

—, Palleschi, G., Lubrano, G.J. and Guilbault, G.G. Amperometric biosensor for determination of lactate in sweat 35

Fetzer, J.C., see Tucker, S.A. 269 Fisher, J., see Corne, S.A. 149

Fogg, A.G.

-, Ertas, F.N., Moreira, J.C. and Barek, J.

Cathodic stripping voltammetric behaviour of copper complexes of glycylglycyl-L-histidine at a hanging mercury drop electrode. Determination of trace amounts of glycylglycyl-L-histidine 41

González, I., see Rojas-Hernández, A. 321, 335 Grimalt, J.O.

- and Olivé, J.

Source input elucidation in aquatic systems by factor and principal component analysis of molecular marker data 159

Guilbault, G.G., see Faridnia, M.H. 35

Gündüz, N., see Gündüz, T. 243

Gündüz, T.

-, Gündüz, N. and Hayvalı, M.

Titrations in non-aqueous media: potentiometric investigation of the basicity of *meso*-porphyrins in nitrobenzene solvent 243

Guo, T.

- and Baasner, J.

Determination of mercury in urine by flow-injection cold vapour atomic absorption spectrometry 189 Harvey, R.G., see Tucker, S.A. 269

Hauser, P.C.

Trioctyltin chloride as carrier for a chloride-selective electrode in flow-injection potentiometry 227

Havel, J., see Anticó, E. 91

Hayvalı, M., see Gündüz, T. 243

Hidalgo, M., see Anticó, E. 91

Hueber, D.M.

-, Masamba, W.R.L., Spencer, B.M. and Winefordner, J.D.

Application of hydride generation to the determination of trace concentrations of arsenic by capacitively coupled microwave plasma 279

Ianni, M.C., see Baffi, F. 83 Ishibashi, M., see Toyo'oka, T. 71

Jagner, D.

—, Sahlin, E., Axelsson, B. and Ratana-Ophas, R. Rapid method for the determination of copper(II) and lead(II) in tap water using a portable potentiometric stripping analyser 237

Jiang, Z.-L.

- and Liang, A.-H.

Catalytic kinetic determination of trace amounts of ascorbic acid with single-sweep oscillopolarography 53 Johnson, A.P., see Corne, S.A. 149

Khidekel, M.I., see Andreev, V.P. 307

Kościelniak, P.

Non-linear robust regression procedure for calibration in flame atomic absorption spectrometry 177

Kuroda, N.

-, Nakashima, K. and Akiyama, S.

Chemiluminescence method for the determination of adenine after reaction with phenylglyoxal 275

Lee, H., see Tucker, S.A. 269 Lerchi, M., see Bakker, E. 211 Levitsky, A., see Scott, D.R. 137

-, Sun, X., Wei, G. and Ma, Z.

Liquid-solid extraction system based on mixed polymers of polyethylene glycol 2000 and Triton X-100 without organic solvents 317

Li, W.

Li. B.

-, Chen, J. and An, D.-k.

Discussion on "On-line determination of bromide ion in spent brine" 205

Liang, A.-H., see Jiang, Z.-L. 53

Łobiński, R., see Szpunar-Łobińska, J. 99

Lubrano, G.J., see Faridnia, M.H. 35

Lukaszewski, Z., see Wyrwas, B. 197

Ma, Z., see Li, B. 317

MacDonald, C., see Wentzell, P.D. 293

Magi, E., see Baffi, F. 83

Martelet, C., see Shul'ga, A.A. 233

Masamba, W.R.L., see Hueber, D.M. 279

Masana, A., see Anticó, E. 91

Maupas, H., see Shul'ga, A.A. 233

Minagawa, A.

-, Sawada, K. and Suzuki, T.

Determination of bismuth(III) by graphite furnace atomic absorption spectrometry combined with liquid-liquid extraction with trioctylmethylammonium nitrate 287

Mocellin, G., see Ceccon, L. 115

Montagné, M.

-, Durliat, H. and Comtat, M.

Simultaneous use of dehydrogenases and hexacyanoferrate(III) ion in electrochemical biosensors for L-lactate, p-lactate and L-glutamate ions 25

Moreira, J.C., see Fogg, A.G. 41

Nakashima, K., see Kuroda, N. 275 Newell, W.R., see Corne, S.A. 149

Olivé, J., see Grimalt, J.O. 159

Palleschi, G., see Faridnia, M.H. 35 Patterson, H.H., see Taylor, T.A. 249, 259 Paukert, T.

and Rubeška, I.

Effects of fusion charge composition on the determination of platinum group elements using collection into a minimized nickel sulphide button 125

Ramírez, M.T., see Rojas-Hernández, A. 321, 335

Ratana-Ophas, R., see Jagner, D. 237

Ravera, M., see Baffi, F. 83

Rohde, E.

—, Dempsey, E., Smyth, M.R., Vos, J.G. and Emons, H. Development of a flow-through electrochemical detector for glucose based on a glucose oxidase-modified microelectrode incorporating redox and conducting polymer materials 5

Rojas-Hernández, A.

-, Ramírez, M.T. and González, I.

Equilibria among condensed phases and a multi-component solution using the concept of generalized species. Part I. Systems with mixed complexes 321

-, Ramírez, M.T. and González, I.

Equilibria among condensed phases and a multi-component solution using the concept of generalized species.

Part II. Systems with polynuclear species 335

Rosatzin, T., see Bakker, E. 211

Rubeška, I., see Paukert, T. 125

Rusterholz, B., see Bakker, E. 211

Sahlin, E., see Jagner, D. 237

Salvadó, V., see Anticó, E. 91

Sawada, K., see Minagawa, A. 287

Schofield, C.L., see Taylor, T.A. 259

Scott, D.R.

-, Levitsky, A. and Stein, S.E.

Large scale evaluation of a pattern recognition/expert system for mass spectral molecular weight estimation 137 Shul'ga, A.A.

—, Strikha, V.I., Soldatkin, A.P., El'skaya, A.V., Maupas, H., Martelet, C. and Clechet, P.

Removing the influence of buffer concentration on the response of enzyme field effect transistors by using additional membranes 233

Simon, W., see Bakker, E. 211 Smyth, M.R., see Rohde, E. 5 Soldatkin, A.P., see Shul'ga, A.A. 233 Spencer, B.M., see Hueber, D.M. 279 Stein, S.E., see Scott, D.R. 137 Strikha, V.I., see Shul'ga, A.A. 233 Sun, X., see Li, B. 317

Suzuki, T., see Minagawa, A. 287

Szpunar-Łobińska, J.

—, Ceulemans, M., Łobiński, R. and Adams, F.C. Flow-injection sample preparation for organotin speciation analysis of water by capillary gas chromatography-microwave-induced plasma atomic emission spectrometry 99 Szymanski, A., see Wyrwas, B. 197

Taylor, E.L., see Wentzell, P.D. 293 Taylor, T.A.

- and Patterson, H.H.

Determination of aqueous aluminum with the fluorescent chelating ligand, 2-hydroxy-1-carbazole carboxylate. Part I. A model for speciation and stability constants 249

—, Patterson, H.H., Cronan, C.S. and Schofield, C.L.

Determination of aqueous aluminum with the fluorescent chelating ligand, 2-hydroxy-1-carbazole carboxylate. Part II. Application of ratio fluorescence spectroscopy 259

Terao, T., see Toyo'oka, T. 71

Toyo'oka, T.

-, Ishibashi, M. and Terao, T.

Further studies on the resolution of carboxylic acid enantiomers by liquid chromatography with fluorescence and laser-induced fluorescence detection 71

Tucker, S.A.

—, Bates, H.C., Amszi, V.L., Acree, Jr., W.E., Lee, H., Di Raddo, P., Harvey, R.G., Fetzer, J.C. and Dyker, G. Spectroscopic properties of polycyclic aromatic compounds. Part II. Fluorescence emission and quenching behavior of select acenaphthylene derivatives in organic nonelectrolyte solvents 269

Turello, A., see Ceccon, L. 115

Valiente, M., see Anticó, E. 91 Vos, J.G., see Rohde, E. 5

Wei, G., see Li, B. 317 Wentzell, P.D.

> —, Bowdridge, M.R., Taylor, E.L. and MacDonald, C. Random walk simulation of flow injection analysis. Evaluation of dispersion profiles 293

Winefordner, J.D., see Hueber, D.M. 279

Wyrwas, B.

-, Szymanski, A. and Lukaszewski, Z.

Tensammetric studies of the separation of surfactants. Part 1. Investigation of sources of error in precipitation of non-ionic surfactants with modified Dragendorff reagent 197